

This listing of claims will replace all prior versions, and listings, of claims in the application.

**Listing of Claims:**

1. (currently amended) A computer system for running one or more software applications, wherein the software applications are suitable for generating a video output, the computer system comprising:
  - a host operating system suitable for displaying a graphical user interface;
  - multiple guest operating systems running in ~~environments~~ virtual machines emulated by one or more emulator programs running on the host operating system; and
  - wherein the host operating system is able to display a reduced-size representation of the video output of at least one operating system from the multiple operating systems that are being operated in a background mode.
2. (previously presented) The computer system of claim 1, further comprising one or more virtual video memory components suitable for storing the video output of the operating systems.
3. (previously presented) The computer system of claim 2, wherein the one or more of the video memory components are VRAM memory.
4. (previously presented) The computer system of claim 2,
  - wherein the operating systems operating in a background mode are active; and
  - wherein one or more thumbnail images for the operating systems are generated from the video information stored on the video memory components at predetermined intervals while the software applications are active.
5. (original) The computer system of claim 4, wherein the predetermined intervals are such that the thumbnail images are real-time representations of the video output from the active software applications.
6. (original) The computer system of claim 1,
  - wherein the graphical user interface is a windowing environment suitable for displaying one or more windows; and

wherein the portion of the graphical user interface comprising the reduced-size representation is a window.

7. (previously presented) The computer system of claim 1, wherein the reduced-size representation is created using a bilinear sampling technique.

8. (currently amended) A computer system for running one or more software applications, wherein the software applications are suitable for generating a video output, the computer system comprising:

a host operating system suitable for displaying a graphical user interface;  
multiple emulated virtual machines, containing respective guest operating systems,  
being emulated by one or more emulator programs running on the host operating system; and  
wherein the host operating system is able to display for a user reduced-size representation of the video output of each virtual machine.

9. (previously presented) The computer system of claim 8, wherein the reduced-size representations are representations of the video outputs of the virtual machines that are being operated in a background mode.

10. (previously presented) The computer system of claim 8,  
further comprising a virtual video memory associated with each of the virtual machines; and

wherein the reduced-size representations are generated from the video information stored in the virtual video memory associated with each virtual machine.

11. (currently amended) A method for displaying reduced-size images of multiple guest computer systems running in virtual machine environments, said method comprising the steps of:

suspending one or more of the multiple guest computer systems by saving to memory in a host computer system the image of each of the suspended guest computer systems;

reading in at an emulator program from memory in the host computer system the images of the suspended guest computer systems;

interpreting in the emulator program the contents of saved images of the suspended

guest computer systems; and

displaying reduced-size representations of the suspended guest computer systems.

12. (currently amended) A method for displaying reduced-size images of multiple guest computer systems in virtual machine environments and executing on a single computer system, said method comprising the steps of:

reading in from memory in a host computer system the images of the guest computer systems;

interpreting in the emulator program the contents of the images of the emulated guest computer systems;

displaying reduced-size representations of the guest computer systems; and

periodically updating the reduced-size representations of the guest computer systems.

13. (previously presented) The method of claim 12 wherein the step of displaying reduced-size representations of the computer systems are performed on a computer system comprising:

the host operating system suitable for displaying a graphical user interface

14. (previously presented) The method of claim 13 wherein the host operating system is able to display for a user reduced-size representations of the video output of computer systems that are being operated in a background mode.

15. (previously presented) The method of claim 14 wherein the computer systems further comprise one or more virtual video memory components suitable for storing the video output of the computer systems.

16. (previously presented) The method of claim 15 wherein one or more of the video memory components are VRAM.

17. (canceled)

18. (previously presented) The method of claim 12 wherein the host operating system is able to display for a user reduced-size representations of the video output of each computer system being operated in a background mode.

19. (previously presented) The method of claim 18 wherein the reduced-size representations are representations of the video outputs of the virtual machines that are being operated in the background mode.

20. (previously presented) The method of claim 19 wherein the computer systems further comprises one or more virtual video memory components suitable for storing the video output of the computer systems.

21. (currently amended) A method of displaying images on a display coupled with a host computer, the method comprising:

providing a plurality of virtual machines and respective guest operating systems on the host computer, each virtual machine comprising a virtualized computer environment hosting a corresponding one of the guest operating systems on the host computer, where the operating systems hosted on the virtual machines are executing concurrently on the same host computer; and

displaying together on the display thumbnail images comprising reductions of, respectively, display screen images generated by the virtual machines.

22. (previously presented) The method according to claim 21, wherein the thumbnail images are based on image data from video RAMs of the virtual machines.

23. (currently amended) A method of displaying an image on a display coupled with a host computer, the method comprising:

providing a first virtual machine running a first guest operating system, and a second virtual machine running a second guest operating system, wherein both guest operating systems are configured for concurrent execution on the host computer; and

concurrently displaying, on the display, a first thumbnail of video image output of the first virtual machine and a second thumbnail of video image output of the second virtual machine.

24. (previously presented) The method according to claim 23, further comprising concurrently displaying real time thumbnail videos of, respectively, the video outputs of the virtual machines.

25. (previously presented) The method according to claim 23, wherein first thumbnail is derived from video RAM of the first virtual machine, and the second thumbnail is derived from video RAM of the second virtual machine.
26. (previously presented) The method according to claim 23, further comprising allowing a user to interact with the thumbnails to control the virtual machines.
27. (previously presented) The method according to claim 23, wherein displaying of the thumbnails is accomplished by accessing video RAMs of the virtual machines.
28. (previously presented) The method according to claim 23, wherein the thumbnail images comprise reduced versions of images generated for display by the virtual machines.
29. (previously presented) The method according to claim 23, wherein the thumbnails reflect the video outputs of the virtual machines in real time.
30. (currently amended) A method performed in a computer configured with a plurality of virtual machines with associated guest operating systems and software for managing the virtual machines, the virtual machines each comprising a video RAM, the computer being configured to execute the virtual machines concurrently on the computer, the method comprising:
- accessing the video RAMs of the virtual machines to obtain images from the video RAMS;
  - generating thumbnail images of the images obtained from the video RAMs; and
  - concurrently displaying the thumbnail images.
31. (previously presented) The method according to claim 30, the method further comprising:
- determining display modes corresponding to, respectively, the video RAMs of the virtual machines; and
  - generating the thumbnail images in accordance with the display modes.
32. (previously presented) The method according to claim 30, wherein the thumbnail images are displayed to reflect the video RAMs in real time.

33. (currently amended) A method, comprising:  
displaying images corresponding to respective virtual machines configured to host concurrently executable guest operating systems on a host computer, where the thumbnail images are displayed together, and where the images comprise reduced portions of at least portions of display outputs outputted for display by the respective virtual machines.
34. (previously presented) The method according to claim 33, wherein the displaying further comprises displaying the images in a graphical user interface that can be interacted with by a user to control execution of the virtual machines.